

# INVITATION FOR BIDS OFFICE OF PROCUREMENT & CONTRACTS

#### 1. INSTRUCTIONS FOR BIDDERS

- a. Sealed bids will be received in the Office of Procurement & Contracts, Mississippi State University, for the purchase of the items listed herein.
- b. All bids must be received in the Office of Procurement & Contracts on or before the bid opening time and date listed herein. Delivery of bids must be during normal working hours, 8:00 a.m. to 5:00 p.m. CST, except on weekends and holidays when no delivery is possible.
- c. Bidders shall submit their bids either electronically or in a sealed envelope.
  - i. Sealed bids should include the bid number on the face of the envelope as well as the bidders' name and address. Bids should be mailed to: 245 Barr Avenue, 610 McArthur Hall, Mississippi State, MS 39762.
  - ii. At this time we only accept non-ITS bids electronically. For electronic submission of bids, go to: <a href="https://www.ms.gov/dfa/contract\_bid\_search">https://www.ms.gov/dfa/contract\_bid\_search</a> and use the RFX number on the next page as your reference number.
- d. All questions regarding this bid should be directed to the Office of Procurement & Contracts at 662-325-2550.

#### 2. TERMS AND CONDITIONS

- a. All bids should be bid "FOB Destination"
- c. Any contract resulting from this Invitation for Bid shall be in substantial compliance with Mississippi State University's Standard Contract Addendum: https://www.procurement.msstate.edu/contracts/standardaddendum.pdf

Bid Number/RFX Number: 20-04/RFX#3160003349

Opening Date: January 7, 2020 @2:00 p.m.

**Description: Microphone Array** 

endor Name:	
endor Address:	
elephone Number:	
ays the Offer is Firm:	
uthorized Signature:	_
ame:	
tle:	

Item	Quantity	Description	Unit Price	Total Price
1	24	Microphone Array		
2	1	Hardware		
3	1	Software		
4	1	Training		
		TOTAL		

Acoustic sensor array capable of capturing acoustic signatures of aircraft in flight, as well as converting to use in a medium sized anechoic chamber. Please provide a full quote of the sensor array and additional required hardware and software equipment. A detailed statement of work is required with bid.

Anechoic chamber dimensions and details (for reference only-do not bid):

- Internal structure volume: 10 x 18 x 10 (ft)
- Foam panels: 1 x 1 ft panel with 8 in wedge design

### Microphone Technical Requirements:

Microphone quantity: 24Microphone Diameter: ½ in

• Frequency range: 20 Hz – 20000 Hz

• Dynamic range: 17 dB – 130 dB

• Capable of operating in temperatures ranging from -4 to 150 deg F

Inherent noise:16 dB

• Lower limiting frequency: 1 Hz

• Temperature coefficient: .004 dB/°C

Sensitivity: 50 mV/Pa

Pressure Coefficient: -0.01 dB/kPa

## Hardware and software requirements:

- Analyzer and software capable of time-history noise level logging in the 1/3<sup>rd</sup> octave band
- Frequency spectrum analysis
- Time-history noise decibel level logging
- Windscreen for operating array in windy conditions
- Cabling and hardware capable of operating array from a minimum 50 ft distance
- Shock-proof cases for field use, travel, and safe storage of microphones and all related hardware
- Permanent license to analyzing software

Software is to be quoted as a dollar amount that includes full rights and licensing. Additionally, Vendor will provide training for RFRL personnel on equipment use, setup, and post processing as part of quote.