



INVITATION FOR BIDS

OFFICE OF PROCUREMENT & CONTRACTS

1. INSTRUCTIONS FOR BIDDERS

- a. Sealed bids will be received in the Office of Procurement & Contracts, Mississippi State University, for the purchase of the items listed herein.
- b. All bids must be received in the Office of Procurement & Contracts on or before the bid opening time and date listed herein. Delivery of bids must be during normal working hours, 8:00 a.m. to 5:00 p.m. CST, except on weekends and holidays when no delivery is possible.
- c. Bidders shall submit their bids either electronically, in Bully Buy, or in a sealed envelope. Bids CANNOT be emailed
 - a. Sealed bids should include the bid number on the face of the envelope as well as the bidders' name and address. Bids should be mailed to : 405 Garrard Road E, Starkville, MS 39759.
- d. All questions regarding this bid should be directed to the Office of Procurement & Contracts at 662-325-2550.

2. TERMS AND CONDITIONS

- a. All bids should be bid "FOB Destination"
- b. Bidders must comply with all rules, regulations, and statutes relating to purchasing in the State of Mississippi, in addition to the requirements on this form. General Bid Terms and Conditions can be found here:
https://www.procurement.msstate.edu/procurement/bids/Bid_General_Terms_May_2019_V2.pdf
- c. Any contract resulting from this Invitation for Bid shall be in substantial compliance with Mississippi State University's Standard Contract Addendum:
<https://www.procurement.msstate.edu/contracts/standardaddendum.pdf>

Bid Number: MSU2025046

Opening Date: February 25, 2026 at 2:00 p.m.

Description: Hub Chillers Replacement

Vendor Name: _____

Vendor Address: _____

Telephone Number: _____

Email Address: _____

Days the Offer is Firm: _____

Authorized Signature: _____

Name: _____

Title: _____

Item	Quantity	Description	Unit Price	Total Price
1	2	Hub Chillers Replacement		

Chiller Specifications:

- 30MP Small Modular Scroll Chiller
- 460-3-60
- Standard with condenser
- 080 tons
- No Mobility Kit (wheels)
- Water Manifold Piping
- Standard Interrupt
- No Disconnect (std)
- No Phase Monitor
- Std Compressor
- Comfort Cooling Duty (32-60F LCFT, 0-16C) (Std)

- Scrolling Marquee Display (Std)
- Height adjustment kit
- No Wifi
- No Compressor Insulation
- Bronze Y Strainer (40 mesh, 1.5" NPT)
- Complete Unit Year 2-5 Parts & CCS Labor
- Start-up, First Unit *Excluded Items: Disconnect, Piping Manifolds, Mobility Kits, Sound Packages, Central Plant Controls, Isolation Valves, Controls Transformers, Refrigerant Monitors, Seismic Isolation, Factory Performance or Sound Testing, Extended Warranties, Installation.